


## Section B: Project and Site Requirements



## Table of Contents

|                                                |    |
|------------------------------------------------|----|
| B1. Site Establishment                         | 3  |
| B2. Dust, Noise and Vibration Nuisance         | 3  |
| B3. Erosion and Sediment Control               | 4  |
| B4. Water Quality Control                      | 4  |
| B5. Clean-up of Spillage onto Council Roads    | 4  |
| B6. Working Hours                              | 5  |
| B7. Water Required for the Works               | 5  |
| B8. Power Supply                               | 5  |
| B9. Workplace Health and Safety                | 5  |
| B10. Site Safety and PPE                       | 6  |
| B11. Safety of Traffic                         | 7  |
| B12. Diverting Water and Dewatering            | 8  |
| B13. Handling and Storage of Materials         | 8  |
| B14. Existing Services                         | 8  |
| B15. Work by Others                            | 8  |
| B16. Connection to Existing Work               | 9  |
| B17. Pre-Start Meeting                         | 9  |
| B18. Inspections by the Superintendent         | 9  |
| B19. Hold Points                               | 9  |
| B20. Progress Meetings                         | 9  |
| B21. Compliance with Acts, Standards and Codes | 10 |
| B22. Non Conformance                           | 10 |
| B23. Survey Supplied by Principal              | 10 |
| B24. Setting Out by Contractor                 | 10 |
| B25. Geotechnical Information                  | 11 |
| B26. As Constructed Drawings                   | 11 |
| B28. Aboriginal Cultural Issues                | 11 |
| B29. Project Sign                              | 12 |
| B30. Management Plans                          | 12 |

## B1. Site Establishment

The Contractor shall allow within the tender to totally establish and disestablish the site, including mobilisation and demobilisation of all equipment and materials and provisions of all on site facilities. The Items in the various items of the Bill of Quantities are deemed to include an allowance for both establishment and disestablishment, unless the Bill of Quantities make allowance for a specific item for Site Establishment, the Contractor shall include all necessary charges within this item.

The Contractor shall provide all facilities such as offices, change room, mess room, store, toilet, etc. for employees, or subcontractors employees. Garbage and refuse of all sorts shall be promptly and satisfactorily removed from site.

The Contractor shall make his own arrangements for power, water and sanitary services for his own use during construction and shall pay all expenses in connection therewith. These expenses are deemed to be included in the various scheduled items.

## B2. Dust, Noise and Vibration Nuisance

A shakedown area is to be constructed at the access to the site with minimum dimensions being 15m long by 5m wide, using 150mm nominal shot rock. The cost of this work is to be included in the Lump Sum tendered amount.

The Contractor shall carry out the works associated with this contract without causing unreasonable nuisance to the public or surrounding residents caused by dust, noise or vibration.

Should any dust nuisance to surrounding areas be caused by the construction operations, which in the opinion of the local authority and/or the Superintendent requires special measures to be taken for its elimination or reduction, then the Contractor, at his cost, shall do such things or carry out such works as the Superintendent may direct.

A water truck shall be kept on site as required during working hours and shall be used to dampen down filling areas and haul roads and to wash dirt from roadways if required. This water truck shall be equipped with a metered hydrant when water is to be drawn from Council mains. In addition the Superintendent may require surrounding streets and roadways to be swept by a mechanical road sweeper.

During periods of extreme dryness and strong winds the Superintendent may instruct the Contractor to employ additional water trucks or take whatever other steps are required to control wind blown dust.

All reasonable steps shall be taken to muffle and acoustically baffle all plant and equipment. In the event of complaints from the neighbours, which Council deem to be reasonable, the noise from the construction site is not to exceed the following: -

Short Term Period – 4 weeks

L10 noise level measured over a period of not less than 15 minutes when construction site is in operation, must not exceed the background level by more than 20dB(A) at the boundary of the nearest likely affected residence.

Long Term Period – the duration

L10 noise level measured over a period of not less than 15 minutes when construction site is in operation, must not exceed the background level by more than 15dB(A) at the boundary of the nearest likely affected residence.

The use of vibratory compaction equipment, other than hand held, is strictly prohibited within 100m of existing buildings.

## B3. Erosion and Sediment Control

The Contractor shall undertake the works utilising construction techniques that will minimise the migration of sediment during all periods when there is stormwater runoff. The erosion and sediment control drawings and report completed by the engineering consultant for the site are to be considered a minimum standard for procedures to control sediment on site.

The contractor is wholly responsible for the monitoring and maintenance of erosion and sediment control facilities on site for the duration of the Contract. Should it become necessary, the Contractor shall install additional measures or alter the sediment and erosion control facilities to ensure environmental objectives are achieved and to minimise the impact of construction activities on the surrounding environment.

Where a project is to be constructed under the terms of an Environmental Management Plan, all construction works must comply with this document. The details and methods outlined in the EMP shall be regarded as the minimum required for the project.

All costs associated with the implementation and ongoing compliance with this clause are deemed to have been included in the relevant items in the priced Bill of Quantities.

Under no circumstances shall the Contractor allow discharge (stormwater runoff or discharge from dewatering operations) to leave the works area with a suspended solids concentration greater than 50mg/L.

## B4. Water Quality Control

The Contractor is responsible for managing construction activities to ensure compliance with the requirements of the Department of Environment and Heritage Protection (DEHP), Local and State Government Departments and any approved management plans.

Any fines or penalties issued by the DEHP or Local or State Government Departments for infringements or non-compliances during the construction period shall be at the Contractors expense.

Sediment and erosion controls detailed on the drawings shall be the minimum to be provided and the Contractor shall install additional control measures and carry out additional work as required to ensure compliance with the water quality requirements. Additional work may include the addition of lime and or flocculent to the sediment pond waters prior to release. Costs associated with treatment of captured water prior to discharge shall be claimed under the relevant schedule item at a rate of cost plus the value specified in Clause 11(b), Annexure A to the General Conditions of Contract.

The Contractor shall maintain the sediment ponds, trash racks and all drains during construction and clean the trash rack and clean out and profile the pond and drains to design levels prior to practical completion. The pond and drains shall also be cleaned out prior to the off maintenance inspection.

The cost of all water quality control measures, monitoring and reporting shall be included in the relevant item of the Bill of Quantities.

The Contractor shall be responsible for inducting all persons (including but not limited to subcontractors, employees, the Superintendent, the Principal's employees and agents, Authority employees and all other persons) entering or working on the Site to the approved management plans. All persons attending the induction are to sign and date a declaration acknowledging that they have attended and understood the induction. The Contractor shall maintain copies of induction records on the Site for inspection by the Superintendent.

## B5. Clean-up of Spillage onto Council Roads

The Contractor shall be responsible for a daily clean up of spillage onto public roads due to construction activities. Should it be found in the opinion of the local authority and/or the Superintendent that excessive amounts of spillage are being deposited on the public roads, clean up will be directed at more frequent intervals.

All loads to and from the site of works are to be covered. Failure to satisfy the requirements of Council for cleaning of spillage or covering of loaded trucks to and from the site may result in a stop work order being placed on the job.

Should the Contractor fail to clean up any spillage onto Council roads within 24 hours of being given notification, the Superintendent will organise an alternate contractor to carry out these works and will deduct costs for these works from the contractor's payments.

Where the Contractor fails to act, the Contractor will pay all costs incurred from Council for the clean up of roads in full.

## B6. Working Hours

Working hours shall be in accordance with the Development Consent.

No work shall be permitted on a Public Holiday or Sunday unless the Local Authority has given written approval to the Contractor. No activities are allowed on site outside of these hours.

## B7. Water Required for the Works

The Contractor shall nominate a suitable location for the provision of water to be used in the works. This location is to be approved by the Superintendent prior to commencement of works. Full costs of the supply of water for use in the works shall be borne by the Contractor.

## B8. Power Supply

The Contractor shall make arrangements with the supply authority and pay all costs incurred in the provision of a temporary supply for his own purposes.

## B9. Workplace Health and Safety

All work under the Contract shall comply with the provisions of the Workplace Health and Safety Act 2011 as described in **Clause A10** of the Engineering Specification.

Prior to work under the Contract commencing on Site the Contractor shall submit to the Superintendent any Safe Work Method Statements specific to all activities required to complete the work under the Contract.

Safe Work Method Statements are to be reviewed progressively by the Superintendent during the work and amended if necessary subject to the Superintendent's satisfaction.

The safety system shall not relieve the Contractor of his responsibility to comply with the Contract.

The Contractor shall ensure that all employees, including subcontractors, and persons admitted to the Site wear approved Personal Protective Equipment (PPE). Personal Protective Equipment is to be maintained in a serviceable condition and in good order at all times.

The Contractor shall document compliance with the Contractor's site-specific safety management plan and compliance with relevant legislation.

The Contractor shall be responsible for ensuring that the Site is equipped with the necessary first aid and fire protection equipment. An experienced First Aid Officer, holding a Current First Aid Certificate from a recognised authority is to be on-site and available at all times.

The Contractor shall be responsible for inducting all persons (including but not limited to employees, subcontractor employees, the Superintendent, the Principal's employees and agents, Authority employees and all other persons) entering or working on the Site to the Contractor's Site Specific Safety Management Plan. All persons attending the induction are to sign and date a declaration acknowledging that they have attended

and understood the induction. The Contractor shall maintain copies of induction records on the Site for inspection by the Superintendent.

Suitable signs conforming to the Safety Signs for the Occupational Environment Standard (AS 1319) shall be displayed at entrances to and at other conspicuous points on the Site and as directed by the Superintendent denoting Personal Protective Equipment to be worn and hazards.

All matters and conditions, that concern the safety, health and welfare of persons working on the Site, shall be the responsibility of the Contractor and shall be to the satisfaction of the Superintendent. All Workplace Health and Safety incidents, non-conformances or near-misses shall be immediately brought to the attention of the Superintendent by the Contractor. The Contractor shall comply with any regulations regarding safety that may be in force or brought into force during the course of the Contract and shall:

- a. Ensure that the provisions of this Clause are complied with or, as the case may be, are not contravened on the Site;
- b. Ensure that all Constructional Plant used in or for the work under the Contract:
  - i. Is suitably designed for safety in the use made or to be made of it;
  - ii. Is erected and maintained in a safe and serviceable condition;
  - iii. Is used and operated safely and competently and, where its use or operation is prescribed, as prescribed;
- c. Provide and maintain adequate lighting in all working areas and in all areas that give access to working areas;
- d. Cover or provide a railing, suitable to secure safety, around all excavations;
- e. Provide safe and protected means of entrance to the Site and to every building or structure therein;
- f. Provide protection for members of the public on the Site;
- g. Ensure that the Site is kept in a clean and tidy condition;
- h. Ensure that adequate precautions are taken against the occurrence of fire on the Site;
- i. Provide such other safeguards and take such other safety measures as are prescribed.

The Superintendent may require the immediate removal from the Site of any person, who, in the opinion of the Superintendent fails properly to observe the provisions of this Clause and such person shall not again be employed upon the Works without permission of the Superintendent.

The provisions of this Clause shall apply to and be binding upon any Subcontractors employed by the Contractor for any part of the work under the Contract on the Site. Persons employed by such Subcontractors, and the Contractor shall ensure that proper and adequate provisions to this end are included in each Subcontract.

The Contractor shall make all required notifications and notices, obtain all necessary permits and approval and pay all required fees and pay all penalties in connection therewith.

The Contractor shall nominate a Workplace Health and Safety representative for the project and ensure that their contact details are provided to the Superintendent prior to commencement of works.

## B10. Site Safety and PPE

Throughout the excavations and timbering of open trenches, tunnels and shafts, the Contractor shall take all due precaution against accidents during the progress of the works, whether arising from insufficient strength of shoring, bad workmanship, breakage of machinery or plant, inefficient caulking or packing of open joints or spaces, flood, or any other cause whatsoever, as he shall be held solely responsible for all damage, injury or loss, that may be occasioned during the progress of the works, to the building, bridges, railways, streets and other surfaces above and adjacent to the excavations, to persons employed by the Contractor, by the Principal, or otherwise, and to his own or other works.

Safety helmets shall be worn by all workmen and persons admitted to the site on excavations and other works where the nature of the work in hand is such that injury may result from objects falling from above. Similarly, where the work involves risk of injury to the eyes or excessive noise, suitable eye and hearing protection shall be provided.

The Contractor shall provide helmets for the use of general employees, job supervisory personnel and for use by visitors to the works. Safety equipment is to be maintained in a clean and hygienic condition and in good order at all times.

On works where the above hazards may exist, suitable signs conforming with the Safety Signs for the Occupational Environment AS 1319 shall be displayed at entrances to and at other conspicuous points on the site as directed by the Superintendent.

The provisions of this clause shall not relieve the Contractor of any other provisions of the contract with regard to insurance, safety, protection or precautions against accidents.

## B11. Safety of Traffic

The Contractor shall maintain barricading for the protection and safeguarding of all traffic travelling in or around the site (including pedestrian traffic) in accordance with the requirements of the MUTCD. Between the hours of sunset and sunrise each day, the barricades shall be lighted by a sufficient number of approved lamps if required, preferably having amber coloured glass.

All materials utilised for this work shall be, and shall remain the property of the Contractor, and the cost of their use and for labour employed in the erection and maintenance of barricades and the efficient lighting thereof shall be included in the respective schedule rates for "Provision for Traffic" if present, or otherwise generally within the schedule items for which they are required.

The Contractor shall provide for the safe passage of all traffic, pedestrian and vehicular, and shall take all necessary measures to protect adequately the general public.

All excavations shall be properly guarded at all times with an approved design of fencing or barriers, which shall be left in place except when they would interfere with work actually in progress.

All excavations, stockpiles of material, plant or other obstructions shall be adequately lit at night with approved amber barrier lamps. Where directed by the Superintendent, at intersections or other locations where additional protection is warranted, approved flashing lamps shall be used. The Contractor shall be responsible to ensure that lamps are lit at all hours of darkness including weekends and holidays.

Adequate warning in the form of temporary warning signs shall be placed at the approaches to and on all work in progress or obstructions on the roadway. Unless otherwise approved by the Superintendent, all temporary warning signs shall comply with the provisions of "The Manual of Uniform Traffic Control Devices (Queensland)" or otherwise notified as Official Traffic Signs under "The Traffic Acts, 1949 to 1980" and Regulations thereto.

In general all approaches to sites where work is being carried out shall be signed "ROADWORK AHEAD" or "EXCAVATION AHEAD", erected in a substantial manner as an advanced warning. In addition, the actual sites shall be signed with "ROAD PLANT AHEAD", "WORKMEN AHEAD", "WORKMEN", "EXCAVATION" or other appropriate signs. Where it is necessary to close part or all of a carriageway, the appropriate signs shall be used as set out in the "Manual of Uniform Traffic Control Devices (Queensland)".

Where footpaths have to be closed, advance-warning signs will not in general be required, but an alternative safe passageway for pedestrians must be provided.

The requirements as set out above in this clause do not preclude the use of other official signs where their use is warranted.

In the event of the Contractor refusing or neglecting to carry out any of the above work, the Superintendent shall have power (after having given twenty-four (24) hours notice in writing of such intention) to do the same at the Contractor's expense, and the cost thereof shall be deducted from any monies which may be due or become due to the Contractor.

## B12. Diverting Water and Dewatering

The Contractor shall at his own expense do all things necessary to maintain all existing drainage through the site of the works, divert any water interfering with the progress of the works, keep excavations free from water while the works are in progress and prevent any injury to the work by water due to flood or other causes. The Contractor shall ensure that any discharge to any waterway is ponded to allow all sediment to settle to the satisfaction of the Superintendent and provisions of the Clean Waters Act, any relevant Environmental Management Plans and the requirements of the Environment Protection Agency.

The cost to the Contractor under this clause shall be included in the rates in the Bill of Quantities.

Any work or material damaged by water shall, if ordered, be taken up and repaired or replaced with fresh material by the Contractor at his cost.

## B13. Handling and Storage of Materials

At all times during manufacture, storage, delivery and installation, materials and equipment shall be handled carefully in accordance with good construction practise and manufacturers specifications.

## B14. Existing Services

The Contractor shall take every care to prevent any damage to any known services. Any damage to known services due to the Contractor's activities shall be made good to the satisfaction of the relevant service authority and/or asset owner at the Contractor's own expense.

The project drawings do not necessarily show the location of all existing services and those shown have been located approximately only.

Before proceeding with works under this contract the Contractor shall contact the relevant Authorities to ascertain the exact location of such services and whether any alterations will be required to same.

Should any alterations to any existing services be required the Contractor shall notify the Superintendent who will decide what action is to be taken. It shall be the Contractor's responsibility to arrange with the relevant Authorities for an estimate of cost to be prepared and after the approval of the Superintendent to have this work performed and to pay all monies due to such Authorities. Payment to the Contractor shall be made as a Provisional Sum. Any works to divert, shut down or interrupt the function of existing services are to be approved in writing by the relevant service authorities prior to commencement works. Copies of this written confirmation are to be provided to the Superintendent prior to works commencing on site.

The Contractor shall not lop the branches of any trees, either located on a public road or park or on privately owned land, except with the approval of the Superintendent and then only in accordance with such conditions as stipulated by him. It shall be understood that all lopping shall be carried out by use of saws or other approved pruning implements, lopping with axes or excavator buckets will not be approved.

## B15. Work by Others

The Principal Contractor shall permit the execution of any work by others in accordance with the General Conditions of Contract and **Clause A28** of the Engineering Specification.

The Principal Contractor shall be responsible for the works and any damage to the works carried out by others within the site. The Principal Contractor shall ensure that all individuals within their site comply with Workplace Health and Safety requirements. All damage caused to the site is to be rectified at the first available opportunity. No additional payment is applicable to the requirements of this Clause.

In instances where control of the site, or part of the site, is to be transferred to another party, the Contractor shall complete all necessary arrangements to enable this transfer of responsibility and communicate with the Superintendent. Site boundaries shall be clearly demarcated on site through the use of barriers and/or temporary fencing.

## B16. Connection to Existing Work

The Contractor shall make smooth and neat connections to existing work where shown on the drawings and if necessary shall reconstruct a section of the existing work to make a satisfactory connection. The cost of any work required to be carried out under this Clause shall be included in the Lump Sum generally or in the relevant sections of the Bill of Quantities.

The Contractor shall on submission of a tender be deemed to have inspected and checked all proposed connections with existing works and the tender shall include any additional works to ensure a satisfactorily engineered connection.

## B17. Pre-Start Meeting

The Contractor shall not commence work on the site until a pre-start meeting has been held between Council, Superintendent and Contractor. The Contractor is required to provide documentation as specified in **Clause A17** of the Engineering Specification.

## B18. Inspections by the Superintendent

On occasions when the Contractor requires the Superintendent's presence on-site to undertake inspections of the work under the Contract, the Contractor shall provide the Superintendent with at least twenty-four (24) hours notice of the inspection.

Should any work under the Contract require re-inspection as a result of not being satisfactory on a previous inspection or a previous re-inspection then the Contractor shall pay the Superintendent a \$250.00 re-inspection fee.

In addition should the Principal incur any costs from Controlling Authorities, including but not limited to the relevant local Council, for re-inspections then the Principal may recover these costs as a debt from Contractor due to the Principal.

## B19. Hold Points

The Contractor shall give the Superintendent not less than twenty-four (24) hours notice of the commencement or completion of the works outlined in the attached annexure and shall submit such works for inspection before proceeding with or covering up the works.

Construction hold points are to be defined at the formal pre-start meeting, however, the following shall be observed as a minimum:

- > Subgrade proof roll;
- > Pre-seal inspection;
- > Steel reinforcement inspection prior to concrete pour;
- > Water main pressure test;
- > Sewerage vacuum testing;
- > Practical completion inspection;
- > On-maintenance inspection;
- > Off-maintenance inspection;

## B20. Progress Meetings

A prestart Contract meeting will be held at the commencement of the work under the Contract. Progress meetings shall then be held fortnightly or at a frequency deemed appropriate by the Superintendent.

As a minimum all meetings should be attended either by the Superintendent or his nominated Representative and the Contractor's Representative as defined under Clause 25 of the General conditions of contract.

The Superintendent shall furnish minutes of these meetings to the Contractor within seven (7) working days of the meeting.

## B21. Compliance with Acts, Standards and Codes

Where the contract requires the Contractor to comply with any relevant Act, standard or code etc, that standard or code shall, unless otherwise specified, be that which is current at the closing date for tenders.

Acts, standards and codes include Federal, state and local government documents and requirements.

## B22. Non Conformance

Where there has been a defect, act or omission that has been discovered, the Contractor shall make the site safe, notify the Superintendent and rectify all non-conforming works at their earliest opportunity. In the event that a defect, act or omission causes the site to become unsafe, all works shall be ceased until such time that the non-conforming works are rectified.

Non-conformances will be dealt with as "Defective Work" in accordance with Clauses 30.3, 30.4, 30.5 and 30.6 of the General Conditions of Contract.

## B23. Survey Supplied by Principal

The Principal's Surveyor shall establish a number of coordinated and levelled reference marks on the site. These may include road centreline pegs, centre pegs for sewer manholes, centre pegs for stormwater manholes and/or pits and property boundary pegs. These marks will be installed once only. Should reinstatement be necessary through negligence on behalf of the contractor or his employees or subcontractors, the charges for reinstatement will be payable by the contractor.

## B24. Setting Out by Contractor

The Contractor will be responsible for setting out the works from the real property boundaries shown on the drawings in accordance with the provisions of the General Conditions of Contract and the annexed Standard Specification "General".

The Principal's Surveyor will provide benchmarks, reference marks and boundary pegs to enable the Contractor to accurately set out the works. Prior to taking possession of the site, the Contractor shall satisfy itself that the above mentioned survey is established to its satisfaction. If the Contractor does not promptly notify the Superintendent in writing that it is not satisfied with the control survey established, the Superintendent shall take this lack of notification to mean that the Contractor is entirely satisfied that the engineering survey is established as stated.

The Contractor shall be responsible for offsetting of the above survey reference points during the course of construction. Replacement of such pegs/stakes, if required will be at the Contractor's expense.

The Contractor shall employ a qualified Surveyor of competence, to the satisfaction of the Superintendent, for the whole of the period of the construction of the various works included in the contract and at such other times when the accuracy of the location and/or level of the finished work requires, in the opinion of the Superintendent, the services of a Surveyor.

The Surveyor shall provide certification to the Contractor of the setting out and levels of the works. The information supplied shall be sufficient to provide evidence to the Superintendent that the works are being constructed in accordance with the drawings. The various stages of the work will not be allowed to proceed until the relevant survey information has been submitted to the Superintendent.

Notwithstanding submission of survey information by the Contractor to the Superintendent, the Contractor shall be entirely responsible for the setting out and survey of the works.

At the termination of the works the Contractor, with his Surveyor, shall check the profiles, and once checked shall notify the Superintendent that the work has been completed and the Superintendent will arrange for a check survey by the Principal with his Surveyor.

The check survey will be paid for by the Principal provided that, should the profiles or other levels be found to be not in accordance with the levels shown on the drawings and a later check survey be required in areas following reconstruction or re-profiling, the cost of the re-check survey or surveys shall be borne by the Contractor, and the Principal reserves the right to pay for such re-survey fees and to deduct the cost from monies due to the Contractor.

The Contractor shall set out the structures and pipework in accordance with the dimensions shown on the drawings.

Prior to placing orders for manufacture of precast concrete components, pipes and pipe specials the Contractor shall confirm the details of the proposed mains by site survey and verify the correctness or otherwise of pipe lengths as given on the drawings.

The cost of all setting out and survey work is deemed to be included in the priced Bill of Quantities.

## B25. Geotechnical Information

Geotechnical information supplied to the contractor does not form part of the contract and is supplied for the Contractors information only.

The Principal does not accept any responsibility for the accuracy of any of the information shown nor for any interpretation the Contractor or any other person may place thereon.

The Contractor in submitting a tender for this contract shall be deemed to have visited the site and to have discovered all matters pertaining thereto which could affect his performance of the contract and his obligations there under.

No claim shall be entertained on any rock or hard material in any excavation, unless noted otherwise in the Schedule or Bill of Quantities. The intending Contractor must satisfy himself as to the nature of the material before tendering and any rock or hard material met within the excavation must be removed at the contract price. The rate tendered in the Schedule is to cover excavation in all classes of material whether rock or otherwise.

The Contractor in submitting a tender for this contract shall be deemed to have visited the site beforehand and to have satisfied himself of all matters pertaining thereto which could affect his performance of the contract and his obligations there under.

## B26. As Constructed Drawings

During all stages of the works, the Contractor shall maintain as constructed records on site. Records shall be available for inspection by the Superintendent at any time.

The Contractor is to liaise with Principal's Surveyor to ensure as constructed information can be obtained. Any uncovering of works to enable 'As Constructed' to be obtained is to be undertaken at the Contractor's expense.

Prior to issue of engineering certification, the Superintendent shall review the as-constructed check survey prepared by the Principal's surveyor to ensure that all works have been constructed within the specified tolerance.

## B28. Aboriginal Cultural Issues

Prior to any earthworks or clearing commencing, the Contractor is to investigate and secure sites of cultural heritage significance in line with DEHP and Aboriginal Land Council requirements. If deemed necessary the Contractor is to allow representatives to inspect the site for any aboriginal relics.

In the event that site works expose any archaeological or cultural material, all work is to cease and officials of the National Parks & Wildlife Service, Aboriginal Land Council, DEHP and the Superintendent are to be immediately notified.

Reference concerning these issues should be made to the Environmental Management Plan.

## B29. Project Sign

Prior to commencement of work under the Contract, and if so stated in the Bill of Quantities, the Contractor is to erect a sign detailing the project and containing the names and contact numbers of the Principal, Contractor, Superintendent and the project logo. Minimum overall dimensions of the sign should be 2400 x 1800. The Superintendent shall approve the format of the sign and its location prior to its fabrication and installation.

Alternatively, the Contractor shall install signage detailing their name and contact details at the site entrance as well as separate signage showing the details of the Contract Superintendent, also to be installed in a visible area near the site entrance. The Contractor shall also install site signage as provided by the Principal.

## B30. Management Plans

The following Management plans shall be prepared by the Contractor and submitted to the Superintendent 5 working days before the pre-start meeting.

All Management Plans are to conform to the relevant Acts, standards and codes at Federal, State and Local Government level.

- > Site Specific Management Plan
- > Site Specific Workplace Health and Safety Plan
- > Traffic Management Plan
- > Environmental Management Plan (including Erosion and Sediment Control, Noise and Dust, Water Quality, etc.)
- > Pedestrian Management Plan