

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
GD7.G10	Ground Floor Main	Hair Salon		AL
		Balance of Hardware supplied by fabricator		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
GD5.G12	Ground Floor Main	Foyer/Private Terrace		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD12.G13	Ground Floor Main	Café/Terrace		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD13.G14	Ground Floor Main	Café/Terrace		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD6.G15	Ground Floor South	Function/Terrace		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD1.G16	Ground Floor Main	Foyer Entry Auto		AL AUTO
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD8.G17	Ground Floor Main	Staff/Terrace		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD8.G18	Ground Floor Main	Staff/Terrace		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD8.G19	Ground Floor Main	Training/Terrace		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD8.G20	Ground Floor South	Wellness/Terrace		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
GD8.G21	Ground Floor Main	Interview/Private Dining		AL SD
		Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD2.G22	Ground Floor South	Corridor Pr		AL PR
		Balance of hardware supplied by fabricator		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
GD3.G23	Ground Floor South	Function		AL
		Balance of Hardware supplied by fabricator		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
D60.G25	Ground Floor South	Theatre Pr		SC PR
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.16.589	2	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
911.62.616	2	DOOR BOLT STRAIGHT 6 SNP		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.196	2	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		
950.11.227	1	ASTRAGAL AAS7506 2.25M		
D61.G26	Ground Floor South	Function Room Pr		SC PR
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.16.589	2	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
911.62.616	2	DOOR BOLT STRAIGHT 6 SNP		
937.55.100	2	DOOR STOP ST ST MATT 30X40MM		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.196	2	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		
950.11.227	1	ASTRAGAL AAS7506 2.25M		
D62.G27	Ground Floor South	Wellness Pr		SC PR
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
911.39.445	1	REBATE KIT SLM LATCHING DOOR SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.011	1	ROSE FURN THUMBTURN 50MM SSS		
911.62.616	2	DOOR BOLT STRAIGHT 6 SNP		
911.62.060	1	STRIKE DUST PROOF 9MM NP		
937.55.100	2	DOOR STOP ST ST MATT 30X40MM		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.196	2	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		
950.11.227	1	ASTRAGAL AAS7506 2.25M		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D63.G28	Ground Floor South	Lifestyle Store		SC PR
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.39.445	1	REBATE KIT SLM LATCHING DOOR SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.62.656	1	DOOR BOLT OFFSET 6 SNP		
911.62.616	1	DOOR BOLT STRAIGHT 6 SNP		
911.62.060	1	STRIKE DUST PROOF 9MM NP		
D64.G29	Ground Floor Main	Corridor Pr		SC PR
Card Reader, Break Glass and Magnetic Lock and bracket supplied and installed by Cable Comm				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.16.589	2	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
937.55.100	2	DOOR STOP ST ST MATT 30X40MM		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.235	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 1070M		
950.11.227	1	ASTRAGAL AAS7506 2.25M		
D65.G30	Ground Floor Main	Kitchen Pivot Pr		SC PR
911.22.470	1	MORTICE DBOLT SLD161 SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
987.11.600	4	PUSH PLATE 300X75X1.5MM,SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
932.79.110	2	DOOR CLOSER TRANSOM DCL704 EN3 H/ON 90		
937.55.100	4	DOOR STOP ST ST MATT 30X40MM		
D66.G31	Ground Floor Main	Clean Laundry Pr		SC PR
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
911.39.445	1	REBATE KIT SLM LATCHING DOOR SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.011	1	ROSE FURN THUMBTURN 50MM SSS		
911.62.656	1	DOOR BOLT OFFSET 6 SNP		
911.62.616	1	DOOR BOLT STRAIGHT 6 SNP		
911.62.060	1	STRIKE DUST PROOF 9MM NP		
938.22.000	2	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
F4.G32	Ground Floor Main	Pump Room FD PR		FD PR
Meeting Stile to be supplied and installed by Ricks Doors				
926.84.060	6	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
911.81.455	1	AUTOMATIC FLUSH BOLT TIMBER FIRE SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.196	2	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D36.G35	Ground Floor Main	Loading		SC
		Electric Strike & Card Reader to be supplied and installed by Cable Comm		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
D38.G36	Ground Floor Main	Pump Room		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
911.39.549	1	STRIKE SHIELD CONC FIX SUIT M/LOCK SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
D39.G37	Ground Floor Main	Maintenance		SC
		Electric Strike and Card Reader supplied and installed by Cable Comm		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
D40.G38	Ground Floor Main	Dirty Laundry		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.011	1	ROSE FURN THUMBTURN 50MM SSS		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
D45.G39	Ground Floor South	Stair Exit		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
911.39.549	1	STRIKE SHIELD CONC FIX SUIT M/LOCK SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
931.10.489	1	DOOR CLOSER TS5000 ANGLE BRACKET SIL		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D45.G40	Ground Floor Main	Stair Exit 1		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
911.39.549	1	STRIKE SHIELD CONC FIX SUIT M/LOCK SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
931.10.489	1	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
D46.G41	Ground Floor Main	Stair Exit 2		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
911.39.549	1	STRIKE SHIELD CONC FIX SUIT M/LOCK SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
931.10.489	1	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
D16.G43	Ground Floor Main	Comms		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D17.G44	Ground Floor Main	Reception		SC
		Electric Strike and Card Reader supplied and installed by Cable Comm		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D18.G45	Ground Floor Main	FM Office		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.196	1	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D19.G46	Ground Floor Main	Administration		SC
	Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others			
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
931.10.489	1	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D19.G47	Ground Floor Main	Administration		SC
	Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others			
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D20.G48	Ground Floor Main	Office		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.011	1	ROSE FURN THUMBTURN 50MM SSS		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.196	1	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		
D20.G49	Ground Floor Main	Office		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.011	1	ROSE FURN THUMBTURN 50MM SSS		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.196	1	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		
D21.G50	Ground Floor Main	CM		SC
	Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others			
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.196	1	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D22.G51	Ground Floor South	Consultant		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.196	1	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		
D23.G52	Ground Floor South	ACFI		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.196	1	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		
D24.G53	Ground Floor South	Dental		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.196	1	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		
D25.G54	Ground Floor South	DT		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D26.G55	Ground Floor South	Female Toilet		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	1	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.029	1	DOOR CLOSER TS4000 BODY SIL		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D26.G56	Ground Floor South	Male Toilet		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	1	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.029	1	DOOR CLOSER TS4000 BODY SIL		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D26.G57	Ground Floor Main	Staff Female Toilet		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	1	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.029	1	DOOR CLOSER TS4000 BODY SIL		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D26.G58	Ground Floor Main	Staff Male Toilet		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	1	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.029	1	DOOR CLOSER TS4000 BODY SIL		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D27.G59	Ground Floor Main	Staff Female WC		SC
	Hardware by others			
D27.G60	Ground Floor Main	Staff Male WC		SC
	Hardware by others			
D27.G61	Ground Floor South	Female WC		SC
	Hardware by others			
D27.G62	Ground Floor South	Male WC		SC
	Hardware by others			
D28.G63	Ground Floor Main	Staff Female WC		SC
	Hardware by others			
D28.G64	Ground Floor Main	Staff Male WC		SC
	Hardware by others			
D28.G65	Ground Floor South	Male WC		SC
	Hardware by others			
D28.G66	Ground Floor South	Female WC		SC
	Hardware by others			
D29.G67	Ground Floor Main	Staff Shower		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	1	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.029	1	DOOR CLOSER TS4000 BODY SIL		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D3.G68	Ground Floor Main	Cleaner G-029		SC
	Balance of Hardware by others			
	Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others			
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D30.G69	Ground Floor Main	Staff Shower Cubicle		SC
	Hardware by others			

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D31.G70	Ground Floor Main	Training		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.011	1	ROSE FURN THUMBTURN 50MM SSS		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D32.G71	Ground Floor Main	Staff Room		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.400	1	STARTEC PML9991 PASSAGE LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D33.G72	Ground Floor Main	Locker Room		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.400	1	STARTEC PML9991 PASSAGE LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D34.G42	Ground Floor Main	BOH Corridor		SC
		Electric Strike & Card Reader supplied and installed by Cable Comm		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.197	1	DOOR SEAL #8001SI MORT. AUTO ALUM 1070MM		
D35.G73	Ground Floor Main	Bin Room		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.400	1	STARTEC PML9991 PASSAGE LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D37.G74	Ground Floor South	Bike Parking/Store		SC
		Balance of Hardware by Gate manufacture.		
		Electric Strike & Card Reader supplied and installed by Cable Comm		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D41.G75	Ground Floor Main	Dirty Laundry		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.83.791	1	COOGEE LEVER PASSAGE SET DDA SSS		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D42.G76	Ground Floor Main	Kitchen		SC
		Electric Strike & Card Reader to be supplied by access control consultants		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
937.55.100	2	DOOR STOP ST ST MATT 30X40MM		
D43.G77	Ground Floor Main	Chef Office		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.011	1	ROSE FURN THUMBTURN 50MM SSS		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D44.G78	Ground Floor Main	Kitchen Dry Store		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.83.791	1	COOGEE LEVER PASSAGE SET DDA SSS		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D5.G79	Ground Floor Main	AWC		SC
926.54.010	2	HINGE LIFT OFF 100X75X2.5MM RH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.269	1	DOOR CLOSER TS2000NVBC SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		
F1.G81	Ground Floor Main	Switch Room		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
911.39.549	1	STRIKE SHIELD CONC FIX SUIT M/LOCK SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
F1.G82	Ground Floor Main	Switch Room		FD
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
911.39.549	1	STRIKE SHIELD CONC FIX SUIT M/LOCK SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F2.G83	Ground Floor Main	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	2	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F3.G84	Ground Floor Main	Chute		FD
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D6.G88	Ground Floor Main	Interview/Private Dining		SC PR
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
911.39.445	1	REBATE KIT SLM LATCHING DOOR SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.011	1	ROSE FURN THUMBTURN 50MM SSS		
911.62.616	2	DOOR BOLT STRAIGHT 6 SNP		
911.62.060	1	STRIKE DUST PROOF 9MM NP		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.196	2	DOOR SEAL #8001SI MORT. AUTO ALUM 920MM		
950.11.227	1	ASTRAGAL AAS7506 2.25M		
G1.232	Ground Floor Main	Site Perimeter Gate		Gate
		Electric Strike & Card Reader supplied and installed by Cable Comm Balance of Hardware by Gate manufacture.		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
G1.233	Ground Floor Main	Site Perimeter Gate		Gate
		Electric Strike & Card Reader supplied and installed by Cable Comm Balance of Hardware by Gate manufacture.		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
G1.234	Ground Floor Main	Site Perimeter Gate		Gate
		Electric Strike & Card Reader supplied and installed by Cable Comm Balance of Hardware by Gate manufacture.		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
G2.235	Ground Floor Main	Alfresco Terrace Gate		Gate
		Balance of Hardware by Gate manufacture		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
G7.239	Ground Floor Main	Site Entry Gate		Gate
		Electric Strike and Key Pad supplied and installed by others Balance of Hardware by Gate manufacture.		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
G8.240	Ground Floor Main	Service Court		Gate
		Hardware by Gate manufacture		
G6.241	Ground Floor Main	Site Vehicular Entry		Gate
		Hardware by Sliding Gate manufacture		
G5.242	Ground Floor Main	Transformer Pr		GATE Pr
		Balance of Hardware by Gate manufacture		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
G4.243	Ground Floor Main	Chemical Storage Cage		GATE Pr
		Review - Builder to confirm Padlock requirements		
GD20.1.106	Roof-Main	Roof Access Gate		Gate
		Balance of Hardware by Gate manufacture.		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
D.15.1.057	Roof-Main	Plant Deck Access		SC
		Electric Strike and Card Reader supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D67.1.45	Level 1	Comms Pr		SC PR
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.39.445	1	REBATE KIT SLM LATCHING DOOR SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.62.656	1	DOOR BOLT OFFSET 6 SNP		
911.62.616	1	DOOR BOLT STRAIGHT 6 SNP		
911.62.060	1	STRIKE DUST PROOF 9MM NP		
F6.1.46	Level 1	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar. Meeting Stile to be supplied and installed by Ricks Doors Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F6.1.47	Level 1	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar. Meeting Stile to be supplied and installed by Ricks Doors Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D47.1.49	Level 1	Plant Level 1		SC
Electric Strike & Card Reader supplied and installed by Cable Comm				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.71.290	1	NARROW PLATE INT CYL HOLE & LEVER SCP		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
D47.1.57	Level 1	Plant Level 1		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.400	1	STARTEC PML9991 PASSAGE LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		

Häfele Australia Pty Ltd29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity	Description		
Product				
D8.1.82	Level 1	Foyer/MSU House Doors		SC
		Electric Strike and Card Reader supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.400	1	STARTEC PML9991 PASSAGE LATCH 60MM SSS		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.71.263	1	STD PLATE EXT CYL HOLE & LEVER SCP		
911.71.264	1	STD PLATE INT CYL HOLE & LEVER SCP		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D11B.1.83	Level 1	Quite Room 1-040		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.400	1	STARTEC PML9991 PASSAGE LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D13.1.85	Level 1	N/T 1-032		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D13.1.86	Level 1	N/T 1-032		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D14.1.87	Level 1	Servery 1-034		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D14.1.88	Level 1	Servery 1-034		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D3.1.89	Level 1	Cleaner 1-042		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D4.1.90	Level 1	Pan Room 1-033		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D4.1.91	Level 1	Pan Room 1-033		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D5.1.92	Level 1	AWC 1-041		SC
926.54.010	2	HINGE LIFT OFF 100X75X2.5MM RH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.269	1	DOOR CLOSER TS2000NVBC SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		
D5.1.93	Level 1	AWC 1-037		SC
926.54.010	2	HINGE LIFT OFF 100X75X2.5MM RH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.269	1	DOOR CLOSER TS2000NVBC SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		
D7.1.94	Level 1	Store 1-005		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D7.1.95	Level 1	Store 1-001		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.1.96	Level 1	Store 1-002		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.1.97	Level 1	Store 1-006		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D9.1.98	Level 1	Store 1-004		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.1.99	Level 1	Store 1-003		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
F2.1.100	Level 1	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm		
		Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
F2.1.101	Level 1	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F2.1.102	Level 1	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D68.1.103	Level 1	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D68.1.105	Level 1	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D48.1.14	Level 1	Resident Room S1 129		CSLD
		Double cavity sliding system by others		
903.10.690	2	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.15	Level 1	Res Room Ensuite 1-119		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D2.1.16	Level 1	Res Room Ensuite 1-117		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.17	Level 1	Res Room Ensuite 1-121		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.18	Level 1	Res Room Ensuite 1-123		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.19	Level 1	Res Room Ensuite 1-125		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.20	Level 1	Res Room Ensuite 1-128		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.21	Level 1	Res Room Ensuite 1-127		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.22	Level 1	Res Room Ensuite 1-122		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.23	Level 1	Res Room Ensuite 1-124		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.24	Level 1	Res Room Ensuite 1-116		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.25	Level 1	Res Room Ensuite 1-118		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.26	Level 1	Res Room Ensuite 1-120		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.27	Level 1	Res Room Ensuite 1-126		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.28	Level 1	Res Room Ensuite 1-130		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.29	Level 1	Res Room Ensuite 1-128		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.30	Level 1	Res Room Ensuite 1-111		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D2.1.31	Level 1	Res Room Ensuite 1-113		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.32	Level 1	Res Room Ensuite 1-109		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.33	Level 1	Res Room Ensuite 1-107		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.34	Level 1	Res Room Ensuite 1-105		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.35	Level 1	Res Room Ensuite 1-101		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.36	Level 1	Res Room Ensuite 1-103		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.37	Level 1	Res Room Ensuite 1-110		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.38	Level 1	Res Room Ensuite 1-108		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.39	Level 1	Res Room Ensuite 1-115		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.40	Level 1	Res Room Ensuite 1-114		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.41	Level 1	Res Room Ensuite 1-112		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.42	Level 1	Res Room Ensuite 1-106		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.43	Level 1	Res Room Ensuite 1-102		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.1.44	Level 1	Res Room Ensuite 1-104		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.1.51	Level 1 Dementia Ward	Res Room Entry T2 121		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.52	Level 1 Dementia Ward	Res Room Entry T2 123		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.53	Level 1 Dementia Ward	Res Room Entry T2 119		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.54	Level 1 Dementia Ward	Res Room Entry T2 117		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.55	Level 1 Dementia Ward	Res Room Entry T2 127		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.1.56	Level 1 Dementia Ward	Res Room Entry T2 129		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.57	Level 1 Dementia Ward	Res Room Entry T1 128		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.58	Level 1 Dementia Ward	Res Room Entry T1 126		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.59	Level 1 Dementia Ward	Res Room Entry T1 130		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.60	Level 1 Dementia Ward	Res Room Entry T1 116		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.1.61	Level 1 Dementia Ward	Res Room Entry T1 120		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.62	Level 1 Dementia Ward	Res Room Entry T1 124		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.63	Level 1 Dementia Ward	Res Room Entry T1 118		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.64	Level 1 Dementia Ward	Res Room Entry T1 122		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.65	Level 1 Dementia Ward	Res Room Entry T1 105		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.1.66	Level 1 Dementia Ward	Res Room Entry T2 109		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.67	Level 1 Dementia Ward	Res Room Entry T2 107		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.68	Level 1 Dementia Ward	Res Room Entry T2 111		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.69	Level 1 Dementia Ward	Res Room Entry T2 113		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.70	Level 1 Dementia Ward	Res Room Entry T2 103		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.1.71	Level 1 Dementia Ward	Res Room Entry T2 101		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.72	Level 1 Dementia Ward	Res Room Entry T1 104		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.73	Level 1 Dementia Ward	Res Room Entry T1 106		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.74	Level 1 Dementia Ward	Res Room Entry T1 102		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.75	Level 1 Dementia Ward	Res Room Entry T1 115		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.1.76	Level 1 Dementia Ward	Res Room Entry T1 112		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.77	Level 1 Dementia Ward	Res Room Entry T1 108		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.78	Level 1 Dementia Ward	Res Room Entry T1 114		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.79	Level 1 Dementia Ward	Res Room Entry T1 110		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.1.80	Level 1 Dementia Ward	Res Room Entry S2 125		SC
No allowance for door seals as per builders instructions.				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity	Description		
Product				
GD10.1.10	Level 1	Sitting L1/Wanderers Deck		AL
Balance of Hardware supplied by fabricator				
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.71.290	1	NARROW PLATE INT CYL HOLE & LEVER SCP		
911.75.177	1	ESCUTCHEON TRIM ONLY SC		
GD4.1.11	Level 1	Resident Room S1 1-029		AL SD
Review - Cylinder type to be confirmed by client				
Balance of Hardware supplied by fabricator				
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.1.12	Level 1	Resident Room T2 1-028		AL SD
Review - Cylinder type to be confirmed by client				
Balance of Hardware supplied by fabricator				
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD3.1.13	Level 1	Wanderers Deck		AL
Balance of Hardware supplied by fabricator				
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.71.290	1	NARROW PLATE INT CYL HOLE & LEVER SCP		
911.75.177	1	ESCUTCHEON TRIM ONLY SC		
D67.2.47	Level 2	Comms Pr		SC PR
Balance of Hardware by others				
Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.39.445	1	REBATE KIT SLM LATCHING DOOR SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.62.656	1	DOOR BOLT OFFSET 6 SNP		
911.62.616	1	DOOR BOLT STRAIGHT 6 SNP		
911.62.060	1	STRIKE DUST PROOF 9MM NP		
F6.2.48	Level 2	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar.				
Meeting Stile to be supplied and installed by Ricks Doors				
Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
F6.2.49	Level 2	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar. Meeting Stile to be supplied and installed by Ricks Doors Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D11.2.81	Level 2	Bath 2-038		SC
926.54.000	2	HINGE LIFT OFF 100X75X2.5MM LH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.029	1	DOOR CLOSER TS4000 BODY SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		
D12.2.82	Level 2	Treatment 2-033		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D14.2.83	Level 2	Servery 2-032		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D14.2.84	Level 2	Servery 2-032		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D3.2.85	Level 2	Cleaner 2-041		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D4.2.86	Level 2	Pan Room 2-034		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D4.2.87	Level 2	Pan Room 2-034		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D5.2.88	Level 2	AWC 2-036		SC
926.54.010	2	HINGE LIFT OFF 100X75X2.5MM RH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.269	1	DOOR CLOSER TS2000NVBC SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		
D7.2.90	Level 2	Store 2-002		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.2.91	Level 2	Store 2-001		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.2.92	Level 2	Store 2-005		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D7.2.93	Level 2	Store 2-006		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D9.2.94	Level 2	Store 2-003		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D9.2.95	Level 2	Store 2-004		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
F2.2.96	Level 2	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm		
		Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F2.2.97	Level 2	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm		
		Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity	Description		
Product				
F2.2.98	Level 2	Fire Stair Exit		FD
Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer				
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D68.2.99	Level 2	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D68.2.100	Level 2	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D48.2.15	Level 2	Resident Room S1 229		CSLD
Double cavity sliding system by others				
903.10.690	2	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D48.2.16	Level 2	Resident Room S1 201		CSLD
Double cavity sliding system by others				
903.10.690	2	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.17	Level 2	Res Room Ensuite 2-211		SLD
Sliding door System hardware by others				
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.18	Level 2	Res Room Ensuite 2-213		SLD
Sliding door System hardware by others				
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.19	Level 2	Res Room Ensuite 2-209		SLD
Sliding door System hardware by others				
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.20	Level 2	Res Room Ensuite 2-207		SLD
Sliding door System hardware by others				
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D2.2.21	Level 2	Res Room Ensuite 2-205		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.22	Level 2	Res Room Ensuite 2-201		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.23	Level 2	Res Room Ensuite 2-203		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.24	Level 2	Res Room Ensuite 2-210		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.25	Level 2	Res Room Ensuite 2-208		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.26	Level 2	Res Room Ensuite 2-215		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.27	Level 2	Res Room Ensuite 2-214		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.28	Level 2	Res Room Ensuite 2-212		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.29	Level 2	Res Room Ensuite 2-206		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.30	Level 2	Res Room Ensuite 2-202		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.31	Level 2	Res Room Ensuite 2-204		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.32	Level 2	Res Room Ensuite 2-219		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.33	Level 2	Res Room Ensuite 2-217		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.34	Level 2	Res Room Ensuite 2-221		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.35	Level 2	Res Room Ensuite 2-223		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D2.2.36	Level 2	Res Room Ensuite 2-225		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.37	Level 2	Res Room Ensuite 2-229		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.38	Level 2	Res Room Ensuite 2-227		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.39	Level 2	Res Room Ensuite 2-222		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.40	Level 2	Res Room Ensuite 2-224		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.41	Level 2	Res Room Ensuite 2-216		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.42	Level 2	Res Room Ensuite 2-218		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.43	Level 2	Res Room Ensuite 2-220		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.44	Level 2	Res Room Ensuite 2-226		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.45	Level 2	Res Room Ensuite 2-230		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.2.46	Level 2	Res Room Ensuite 2-228		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D1.2.51	Level 2	Res Room Entry S2 225		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.2.52	Level 2	Res Room Entry S2 205		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.53	Level 2	Res Room Entry T2 209		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.54	Level 2	Res Room Entry T2 207		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.55	Level 2	Res Room Entry T2 211		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.56	Level 2	Res Room Entry T2 213		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.2.57	Level 2	Res Room Entry T2 203		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.58	Level 2	Res Room Entry T1 201		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.59	Level 2	Res Room Entry T1 204		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.60	Level 2	Res Room Entry T1 206		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.61	Level 2	Res Room Entry T1 202		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.2.62	Level 2	Res Room Entry T1 215		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.63	Level 2	Res Room Entry T1 212		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.64	Level 2	Res Room Entry T1 208		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.65	Level 2	Res Room Entry T1 214		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.66	Level 2	Res Room Entry T1 210		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.2.67	Level 2	Res Room Entry T2 221		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.68	Level 2	Res Room Entry T2 223		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.69	Level 2	Res Room Entry T2 219		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.70	Level 2	Res Room Entry T2 217		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.71	Level 2	Res Room Entry T2 227		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.2.72	Level 2	Res Room Entry S1 229		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.73	Level 2	Res Room Entry T1 228		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.74	Level 2	Res Room Entry T1 226		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.75	Level 2	Res Room Entry T1 230		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.76	Level 2	Res Room Entry T1 216		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.2.77	Level 2	Res Room Entry T1 220		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.78	Level 2	Res Room Entry T1 224		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.79	Level 2	Res Room Entry T1 218		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.2.80	Level 2	Res Room Entry T1 222		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
GD11.2.10	Level 2	Deck Level 2		AL
Balance of Hardware supplied by fabricator				
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	2	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.71.290	1	NARROW PLATE INT CYL HOLE & LEVER SCP		
911.75.177	1	ESCUTCHEON TRIM ONLY SC		
GD4.2.11	Level 2	Resident Room T2 203		AL SD
Review - Cylinder type to be confirmed by client				
Balance of Hardware supplied by fabricator				
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity	Description		
Product				
GD4.2.12	Level 2	Resident Room S1 201		AL SD
Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator				
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.2.13	Level 2	Resident Room S1 229		AL SD
Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator				
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.2.14	Level 2	Resident Room T2 227		AL SD
Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator				
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
D67.3.46	Level 3	Comms Pr		SC PR
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.39.445	1	REBATE KIT SLM LATCHING DOOR SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.62.656	1	DOOR BOLT OFFSET 6 SNP		
911.62.616	1	DOOR BOLT STRAIGHT 6 SNP		
911.62.060	1	STRIKE DUST PROOF 9MM NP		
F6.3.47	Level 3	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar. Meeting Stile to be supplied and installed by Ricks Doors Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F6.3.48	Level 3	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar. Meeting Stile to be supplied and installed by Ricks Doors Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		

Häfele Australia Pty Ltd29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D11B.3.80	Level 3	Quite Room 3-038		SC
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.400	1	STARTEC PML9991 PASSAGE LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D12.3.81	Level 3	Treatment 3-033		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D14.3.82	Level 3	Servery 3-032		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D14.3.83	Level 3	Servery 3-032		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D3.3.84	Level 3	Cleaner 3-041		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D4.3.85	Level 3	Pan Room 3-034		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D4.3.86	Level 3	Pan Room 3-034		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D5.3.87	Level 3	AWC 3-040		SC
926.54.010	2	HINGE LIFT OFF 100X75X2.5MM RH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.269	1	DOOR CLOSER TS2000NVBC SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		
D5.3.88	Level 3	AWC 3-036		SC
926.54.010	2	HINGE LIFT OFF 100X75X2.5MM RH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.269	1	DOOR CLOSER TS2000NVBC SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		
D7.3.89	Level 3	Store 3-002		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.3.90	Level 3	Store 3-001		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.3.91	Level 3	Store 3-005		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D7.3.92	Level 3	Store 3-006		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D9.3.93	Level 3	Store 3-003		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D9.3.94	Level 3	Store 3-004		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
F2.3.95	Level 3	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm		
		Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F2.3.96	Level 3	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm		
		Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity	Description		
Product				
F2.3.97	Level 3	Fire Stair Exit		FD
Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer				
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D68.3.99	Level 3	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D68.3.100	Level 3	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D48.3.14	Level 3	Resident Room S1 329		CSLD
Double cavity sliding system by others				
903.10.690	2	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D48.3.15	Level 3	Resident Room S1 301		CSLD
Double cavity sliding system by others				
903.10.690	2	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.16	Level 3	Res Room Ensuite 3-311		SLD
Sliding door System hardware by others				
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.17	Level 3	Res Room Ensuite 3-313		SLD
Sliding door System hardware by others				
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.18	Level 3	Res Room Ensuite 3-309		SLD
Sliding door System hardware by others				
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.19	Level 3	Res Room Ensuite 3-307		SLD
Sliding door System hardware by others				
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D2.3.20	Level 3	Res Room Ensuite 3-305		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.21	Level 3	Res Room Ensuite 3-301		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.22	Level 3	Res Room Ensuite 3-303		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.23	Level 3	Res Room Ensuite 3-310		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.24	Level 3	Res Room Ensuite 3-308		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.25	Level 3	Res Room Ensuite 3-315		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.26	Level 3	Res Room Ensuite 3-314		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.27	Level 3	Res Room Ensuite 3-312		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.28	Level 3	Res Room Ensuite 3-306		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.29	Level 3	Res Room Ensuite 3-302		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.30	Level 3	Res Room Ensuite 3-304		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.31	Level 3	Res Room Ensuite 3-319		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.32	Level 3	Res Room Ensuite 3-317		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.33	Level 3	Res Room Ensuite 3-321		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.34	Level 3	Res Room Ensuite 3-323		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D2.3.35	Level 3	Res Room Ensuite 3-325		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.36	Level 3	Res Room Ensuite 3-329		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.37	Level 3	Res Room Ensuite 3-327		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.38	Level 3	Res Room Ensuite 3-322		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.39	Level 3	Res Room Ensuite 3-324		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.40	Level 3	Res Room Ensuite 3-316		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.41	Level 3	Res Room Ensuite 3-318		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.42	Level 3	Res Room Ensuite 3-320		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.43	Level 3	Res Room Ensuite 3-326		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.44	Level 3	Res Room Ensuite 3-330		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.3.45	Level 3	Res Room Ensuite 3-328		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D1.3.51	Level 3	Res Room Entry S2 305		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.3.50	Level 3	Res Room Entry S2 325		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.52	Level 3	Res Room Entry T2 309		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.53	Level 3	Res Room Entry T2 307		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.54	Level 3	Res Room Entry T2 311		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.55	Level 3	Res Room Entry T2 313		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.3.56	Level 3	Res Room Entry T2 303		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.57	Level 3	Res Room Entry S1 301		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.58	Level 3	Res Room Entry T1 304		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.59	Level 3	Res Room Entry T1 306		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.60	Level 3	Res Room Entry T1 302		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.3.61	Level 3	Res Room Entry T1 315		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.62	Level 3	Res Room Entry T1 312		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.63	Level 3	Res Room Entry T1 308		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.64	Level 3	Res Room Entry T1 314		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.65	Level 3	Res Room Entry T1 310		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.3.66	Level 3	Res Room Entry T1 321		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.67	Level 3	Res Room Entry T2 323		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.68	Level 3	Res Room Entry T2 319		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.69	Level 3	Res Room Entry T2 317		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.70	Level 3	Res Room Entry T2 327		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.3.71	Level 3	Res Room Entry S1 329		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.72	Level 3	Res Room Entry T1 328		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.73	Level 3	Res Room Entry T1 326		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.74	Level 3	Res Room Entry T1 330		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.75	Level 3	Res Room Entry T1 316		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D1.3.76	Level 3	Res Room Entry T1 320		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.77	Level 3	Res Room Entry T1 324		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.78	Level 3	Res Room Entry T1 318		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.3.79	Level 3	Res Room Entry T1 322		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
GD4.3.10	Level 3	Resident Room T2 303		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.3.11	Level 3	Resident Room S1 301		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity	Description		
Product				
GD4.3.12	Level 3	Resident Room S1 329		AL SD
Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator				
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.3.13	Level 3	Resident Room T2 327		AL SD
Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator				
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
D67.4.46	Level 4	Comms Pr		SC PR
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.39.445	1	REBATE KIT SLM LATCHING DOOR SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.62.656	1	DOOR BOLT OFFSET 6 SNP		
911.62.616	1	DOOR BOLT STRAIGHT 6 SNP		
911.62.060	1	STRIKE DUST PROOF 9MM NP		
F6.4.46	Level 4	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar. Meeting Stile to be supplied and installed by Ricks Doors Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F6.4.47	Level 4	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar. Meeting Stile to be supplied and installed by Ricks Doors Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D11.4.80	Level 4	Bath 4-038		SC
926.54.000	2	HINGE LIFT OFF 100X75X2.5MM LH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.029	1	DOOR CLOSER TS4000 BODY SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D12.4.81	Level 4	Treatment 4-033		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D14.4.82	Level 4	Servery 4-032		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D14.4.83	Level 4	Servery 4-032		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D3.4.84	Level 4	Cleaner 4-041		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D4.4.85	Level 4	Pan Room 4-034		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D4.4.86	Level 4	Pan Room 4-034		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D5.4.88	Level 4	AWC 4-036		SC
926.54.010	2	HINGE LIFT OFF 100X75X2.5MM RH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.269	1	DOOR CLOSER TS2000NVBC SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		
D7.4.89	Level 4	Store 4-002		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.4.90	Level 4	Store 4-001		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.4.91	Level 4	Store 4-005		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.4.92	Level 4	Store 4-006		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D9.4.93	Level 4	Store 4-003		SC
		Balance of Hardware by others		
		Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D9.4.94	Level 4	Store 4-004		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
F2.4.95	Level 4	Fire Stair Exit		FD
Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer				
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F2.4.96	Level 4	Fire Stair Exit		FD
Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer				
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F2.4.97	Level 4	Fire Stair Exit		FD
Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer				
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D68.4.99	Level 4	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D68.4.100	Level 4	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D48.4.14	Level 4	Resident Room S1 429		CSLD
		Double cavity sliding system by others		
903.10.690	2	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D48.4.15	Level 4	Resident Room S1 401		CSLD
		Double cavity sliding system by others		
903.10.690	2	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.16	Level 4	Res Room Ensuite 4-411		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.17	Level 4	Res Room Ensuite 4-413		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.18	Level 4	Res Room Ensuite 4-409		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.19	Level 4	Res Room Ensuite 4-407		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.20	Level 4	Res Room Ensuite 4-405		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.21	Level 4	Res Room Ensuite 4-401		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.22	Level 4	Res Room Ensuite 4-403		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D2.4.23	Level 4	Res Room Ensuite 4-410		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.24	Level 4	Res Room Ensuite 4-408		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.25	Level 4	Res Room Ensuite 4-415		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.26	Level 4	Res Room Ensuite 4-414		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.27	Level 4	Res Room Ensuite 4-412		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.28	Level 4	Res Room Ensuite 4-406		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.29	Level 4	Res Room Ensuite 4-402		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.30	Level 4	Res Room Ensuite 4-404		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.31	Level 4	Res Room Ensuite 4-419		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.32	Level 4	Res Room Ensuite 4-417		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.33	Level 4	Res Room Ensuite 4-421		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.34	Level 4	Res Room Ensuite 4-423		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.35	Level 4	Res Room Ensuite 4-425		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.36	Level 4	Res Room Ensuite 4-429		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.37	Level 4	Res Room Ensuite 4-427		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D2.4.38	Level 4	Res Room Ensuite 4-422		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.39	Level 4	Res Room Ensuite 4-424		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.40	Level 4	Res Room Ensuite 4-416		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.41	Level 4	Res Room Ensuite 4-418		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.42	Level 4	Res Room Ensuite 4-420		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.43	Level 4	Res Room Ensuite 4-426		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.44	Level 4	Res Room Ensuite 4-430		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.4.45	Level 4	Res Room Ensuite 4-428		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D1.4.50	Level 4	Res Room Entry S2 425		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.51	Level 4	Res Room Entry S2 405		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.4.52	Level 4	Res Room Entry T2 409		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.53	Level 4	Res Room Entry T2 407		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.54	Level 4	Res Room Entry T2 411		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.55	Level 4	Res Room Entry T2 413		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.56	Level 4	Res Room Entry T2 403		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D1.4.57	Level 4	Res Room Entry S1 401		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.58	Level 4	Res Room Entry T1 404		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.59	Level 4	Res Room Entry T1 406		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.60	Level 4	Res Room Entry T1 402		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.61	Level 4	Res Room Entry T1 415		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D1.4.62	Level 4	Res Room Entry T1 412		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.63	Level 4	Res Room Entry T1 408		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.64	Level 4	Res Room Entry T1 414		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.65	Level 4	Res Room Entry T1 410		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.66	Level 4	Res Room Entry T2 421		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.4.67	Level 4	Res Room Entry T2 423		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.68	Level 4	Res Room Entry T2 419		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.69	Level 4	Res Room Entry T2 417		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.70	Level 4	Res Room Entry T2 427		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.71	Level 4	Res Room Entry S1 429		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.4.72	Level 4	Res Room Entry T1 428		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.73	Level 4	Res Room Entry T1 426		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.74	Level 4	Res Room Entry T1 430		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.75	Level 4	Res Room Entry T1 416		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.76	Level 4	Res Room Entry T1 420		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.4.77	Level 4	Res Room Entry T1 424		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.78	Level 4	Res Room Entry T1 418		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.4.79	Level 4	Res Room Entry T1 421		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
GD4.4.10	Level 4	Resident Room T2 403		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.4.11	Level 4	Resident Room S1 401		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.4.12	Level 4	Resident Room S1 429		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.4.13	Level 4	Resident Room T2 427		AL SD
		Review - Cylinder type to be confirmed by client		
		Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D67.5.46	Level 5	Comms Pr		SC PR
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.39.445	1	REBATE KIT SLM LATCHING DOOR SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
911.62.656	1	DOOR BOLT OFFSET 6 SNP		
911.62.616	1	DOOR BOLT STRAIGHT 6 SNP		
911.62.060	1	STRIKE DUST PROOF 9MM NP		
F6.5.47	Level 5	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar. Meeting Stile to be supplied and installed by Ricks Doors Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F6.5.48	Level 5	Corridor Smoke		FD PR
Magnetic hold open devices to be supplied and installed by Fireboar. Meeting Stile to be supplied and installed by Ricks Doors Hold Open device not to be installed to closer.				
926.84.050	6	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
987.11.430	2	PUSH/PULL PLATE SET 300X100X2MM SSS		
931.11.179	2	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	2	DOOR CLOSER TS4000 SET STD ARM SIL		
931.71.900	1	DOOR COORDINATOR INC STRIKE SSS		
931.10.489	2	DOOR CLOSER TS5000 ANGLE BRACKET SIL		
950.11.211	1	DOOR SEAL #1212 BATWING PERIMETER DDS		
950.11.198	2	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D12.5.81	Level 5	Treatment 5-033		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D14.5.82	Level 5	Servery 5-032		SC
Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others				
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D14.5.83	Level 5	Servery 5-032		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D3.5.84	Level 5	Cleaner 5-041		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.13.720	1	DOOR STOP WALL MOUNT 75MM SSS		
D4.5.85	Level 5	Pan Room 5-034		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D4.5.86	Level 5	Pan Room 5-034		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
931.16.589	1	DOOR CLOSER TS4000 SET STD ARM SIL H/O		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D5.5.87	Level 5	AWC 5-040		SC
926.54.010	2	HINGE LIFT OFF 100X75X2.5MM RH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.269	1	DOOR CLOSER TS2000NVBC SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		
D5.5.88	Level 5	AWC 5-036		SC
926.54.010	2	HINGE LIFT OFF 100X75X2.5MM RH SSS		
911.64.450	1	STARTEC PML9991 PRIVACY LATCH 60MM SSS		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
905.59.014	1	ROSE FURN INDICATING EM RELEASE 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.269	1	DOOR CLOSER TS2000NVBC SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
987.27.530	1	KICK PLATE 200X900X1.2MM CSK SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D7.5.89	Level 5	Store 5-002		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.5.90	Level 5	Store 5-001		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.5.91	Level 5	Store 5-005		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D7.5.92	Level 5	Store 5-006		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D9.5.93	Level 5	Store 5-003		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
D9.5.94	Level 5	Store 5-004		SC
		Balance of Hardware by others Note: Master key override cylinder oval 570 provided to suit Aperio H100 Wireless Access Control supplied and installed by others		
926.84.050	3	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
F2.5.95	Level 5	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F2.5.96	Level 5	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
F2.5.97	Level 5	Fire Stair Exit		FD
		Electric Strike & Card Reader supplied and installed by Cable Comm Hold open device not to be installed to closer		
926.84.060	3	HINGE BUTT FIXED PIN 100X100X2.5MM SSS		
911.64.570	1	STARTEC PML9991 STOREROOM LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
931.11.179	1	DOOR CLOSER TS2000/4000 GUIDE SIL H/O		
931.16.579	1	DOOR CLOSER TS4000 SET STD ARM SIL		
937.55.100	1	DOOR STOP ST ST MATT 30X40MM		
950.11.210	1	DOOR SEAL #1212 BATWING PERIMETER SDS		
950.11.198	1	DOOR SEAL #8002SI SURF. MOUNT AUTO 920MM		
D68.5.99	Level 5	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity	Description		
Product				
D68.5.100	Level 5	Resident room Connecting T2-T2		SC
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D48.5.14	Level 5	Resident Room S1 529		CSLD
		Double cavity sliding system by others		
903.10.690	2	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D48.5.15	Level 5	Resident Room S1 501		CSLD
		Double cavity sliding system by others		
903.10.690	2	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.16	Level 5	Res Room Ensuite 5-511		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.17	Level 5	Res Room Ensuite 5-513		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.18	Level 5	Res Room Ensuite 5-509		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.19	Level 5	Res Room Ensuite 5-507		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.20	Level 5	Res Room Ensuite 5-505		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.21	Level 5	Res Room Ensuite 5-501		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.22	Level 5	Res Room Ensuite 5-503		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.23	Level 5	Res Room Ensuite 5-510		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.24	Level 5	Res Room Ensuite 5-508		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.25	Level 5	Res Room Ensuite 5-515		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D2.5.26	Level 5	Res Room Ensuite 5-514		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.27	Level 5	Res Room Ensuite 5-512		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.28	Level 5	Res Room Ensuite 5-506		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.29	Level 5	Res Room Ensuite 5-502		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.30	Level 5	Res Room Ensuite 5-504		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.31	Level 5	Res Room Ensuite 5-519		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.32	Level 5	Res Room Ensuite 5-517		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.33	Level 5	Res Room Ensuite 5-521		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.34	Level 5	Res Room Ensuite 5-523		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.35	Level 5	Res Room Ensuite 5-525		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.36	Level 5	Res Room Ensuite 5-529		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.37	Level 5	Res Room Ensuite 5-527		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.38	Level 5	Res Room Ensuite 5-522		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.39	Level 5	Res Room Ensuite 5-524		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.40	Level 5	Res Room Ensuite 5-516		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D2.5.41	Level 5	Res Room Ensuite 5-518		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.42	Level 5	Res Room Ensuite 5-520		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.43	Level 5	Res Room Ensuite 5-526		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.44	Level 5	Res Room Ensuite 5-530		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D2.5.45	Level 5	Res Room Ensuite 5-528		SLD
		Sliding door System hardware by others		
903.10.690	1	RND B2B PULL HANDLE 304SS 16X150MM SSS		
D1.5.50	Level 5	Res Room Entry S2 525		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.51	Level 5	Res Room Entry S2 505		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.52	Level 5	Res Room Entry T2 509		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.5.53	Level 5	Res Room Entry T2 507		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.54	Level 5	Res Room Entry T2 511		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.55	Level 5	Res Room Entry T2 513		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.56	Level 5	Res Room Entry T2 503		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.57	Level 5	Res Room Entry S1 501		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D1.5.58	Level 5	Res Room Entry T1 504		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.59	Level 5	Res Room Entry T1 506		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.60	Level 5	Res Room Entry T1 502		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.61	Level 5	Res Room Entry T1 515		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.62	Level 5	Res Room Entry T1 512		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D1.5.63	Level 5	Res Room Entry T1 508		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.64	Level 5	Res Room Entry T1 514		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.65	Level 5	Res Room Entry T1 510		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.66	Level 5	Res Room Entry T2 521		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.67	Level 5	Res Room Entry T2 523		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328



QLD842A: Rockpool Pelican Waters

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.5.68	Level 5	Res Room Entry T2 519		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.69	Level 5	Res Room Entry T2 517		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.70	Level 5	Res Room Entry T2 527		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.71	Level 5	Res Room Entry S1 529		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.72	Level 5	Res Room Entry T1 528		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handling	Dr type
Code	Quantity Product	Description		
D1.5.73	Level 5	Res Room Entry T1 526		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.74	Level 5	Res Room Entry T1 530		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.75	Level 5	Res Room Entry T1 516		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.76	Level 5	Res Room Entry T1 520		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.77	Level 5	Res Room Entry T1 524		SC
No allowance for door seals as per builders instructions				
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		

Häfele Australia Pty Ltd

29 - 33 Juna Drive, Malaga, WA 6090
Phone (08) 9209 8000, Fax (08) 9249 3328

**QLD842A: Rockpool Pelican Waters**

Consultant: David Harvey

Doors with hardware

Quote: QLD842A.Q1 (28-Mar-2023, Entering, Main Contract), Quantities as at variation

Door	Area	Description	Handing	Dr type
Code	Quantity Product	Description		
D1.5.78	Level 5	Res Room Entry T1 518		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
D1.5.79	Level 5	Res Room Entry T1 522		SC
		No allowance for door seals as per builders instructions		
926.84.050	4	HINGE BUTT FIXED PIN 100X75X2.5MM SSS		
911.64.490	1	STARTEC PML9991 ENTRANCE LOCK 60MM SSS		
916.17.016	1	MK RESTRICTED OVAL 570 CYLINDER SC		
916.86.790	2	RESTRICTED CUT KEY		
904.21.340	1	COOGEE LEVER HANDLES ONLY SSS		
905.59.010	1	ROSE ESCUTCHEON OVAL CYLINDER 50MM SSS		
905.59.012	1	ROSE FURN DDA TURNBAR 50MM SSS		
938.22.000	1	DOOR HOLDER MAG FLR MT 82-100X50MM SSS		
GD4.5.10	Level 5	Resident Room T2 503		AL SD
		Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.5.11	Level 5	Resident Room S1 501		AL SD
		Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.5.12	Level 5	Resident Room S1 529		AL SD
		Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		
GD4.5.13	Level 5	Resident Room T2 527		AL SD
		Review - Cylinder type to be confirmed by client Balance of Hardware supplied by fabricator		
916.86.620	1	PLUG 8221 PD HAA01 RESTRICTED SC		
916.86.790	2	RESTRICTED CUT KEY		