

ASBESTOS

Facilitator Guide



Timings	Facilitator Notes	Resources
1 hour	Discuss learning outcome and assessment criteria	Slide 1 Slide 2
	DISCUSS <i>Refer Student Notes – What is Asbestos?</i> <i>Refer How to manage and control asbestos in the workplace code of practice 2011 – s1.3 the meaning of key terms</i> Discuss what is asbestos (from the student notes). ASK Ask participants 'key terms' from the COP and ask them for examples of what they think this means. For example: - Competent person – what type of specific qualifications might make someone a competent person? - What is 'asbestos containing material'? participants to provide examples	Slide 3 Slide 4
	DISCUSS <i>Refer Student Notes – Health Hazards</i>	Slide 5
	DISCUSS <i>Refer Student Notes – Common uses and locations of asbestos containing materials</i> Discuss common uses and locations of asbestos containing materials including: - Friable asbestos - Non-friable asbestos (bonded)	Slide 6 Slide 7 Slide 8 Slide 9
	DISCUSS <i>Refer How to manage and control asbestos in the workplace code of practice 2011 –s1.2 who has duties to manage and control asbestos or ACM?</i> Discuss who has duties to manage and control asbestos in the workplace including: - PCBU - PCBU with management or control of a workplace - PCBU carrying out demolition or refurbishment work	Slide 10

	Highlight that in some cases there may be more than one person with management or control of a workplace.	
	DISCUSS <i>Refer Student Notes – Legislative requirements</i> <i>Refer How to manage and control asbestos in the workplace COP 2011 – Appendix C, D & E</i> Discuss legislative requirements regarding asbestos including : • WHS Act 2011 • WHS Regs 2011 (chapter 8) • Asbestos removal work • Asbestos related work (refer Appendix E, COP) • Control on use of particular equipment • Identifying asbestos or ACM at the workplace • Register of asbestos or ACM at a workplace (refer Appendix C & D, COP) • Demolition and refurbishment • The public health Act 2005 and the Public health regulation 2005 Discuss that there are two codes of practice regarding Asbestos. These codes are informative and provide detailed guidance and should be referred to. • How to manage and control asbestos in the workplace COP 2011 • How to safely remove asbestos COP 2011	Slide 11 Slide 12 Slide 13 Slide 14 Slide 15 Slide 16
	DISCUSS <i>Refer Student Notes – Working safely with asbestos containing materials</i> <i>Refer How to manage and control asbestos in the workplace COP 2011 - Appendix F</i> Discuss safe work procedures for asbestos and refer to Appendix F, COP for an example.	Slide 17
	DISCUSS <i>Refer Student Notes – Transport and disposal of asbestos waste</i> Highlight to participants that information regarding the removal of Asbestos can be found in the <i>How to Safely Remove Asbestos Code of Practice 2011</i>.	Slide 18 Slide 19

	ACTIVITY Have participants complete the STUDENT QUESTIONS	
--	---	--

Version	Date	Author
1	30/06/2018	WHSQ

STUDENT QUESTIONS – ASBESTOS

1. Please state if the below statements are true or false:

A building constructed or renovated before 1990 is likely to contain asbestos materials	TRUE
Gables and eaves/soffits were commonly constructed of asbestos containing materials prior to 1990	TRUE
Further information on types of, and common locations of, asbestos containing materials can be found at www.worksafe.qld.gov.au , click on 'asbestos'.	TRUE
Chapter 8: Asbestos in the Work Health and Safety Regulation 2011 has 10 parts.	TRUE
If you are planning to remove friable asbestos-containing materials (loosely bound), you MUST use a business with a current class A asbestos removal licence to do the work	TRUE
The removal of less than ten square metres of non-friable asbestos containing material (ACM), or removal of asbestos-contaminated dust or debris (ACD) associated with that work, does not have to be done by a business holding an A or B Class asbestos removal licence, however the work must be done in accordance with the ' <i>How to Safely Remove Asbestos Code of Practice 2011</i> ' or equal standard.	TRUE
The asbestos in the structure or plant must be removed, as far as reasonably practicable, before the demolition commences	TRUE
The appropriate vacuum cleaner to remove asbestos dust is an H class industrial asbestos vacuum cleaner that complies with AS/NZS 60335.2.69 fitted with a HEPA filter and that complies with AS4260-1997	TRUE
If you are a plumber and you are carrying out plumbing work that results in the production of asbestos waste, you do not need an environmental authority to take the asbestos waste to the landfill if the load is less than 250 kg.	TRUE
Further information on asbestos risk management can be found in both the ' <i>How to Manage and Control Asbestos in the Workplace Code of Practice 2011</i> ' and the ' <i>How to Safely Remove Asbestos Code of Practice 2011</i> '.	TRUE