

ROOFWATER DISCHARGE TO:

Kerb & Channel

- Stormwater to be discharged so as to not cause erosion or nuisance to adjoining properties
- Stormwater system to comply with AS3500 Part 3
- All other details to Local Government Requirements


Swimming Pool earth bonding

Any conductive fixtures / fittings / materials within arm's reach of pool to be equipotential bonded to AS/NZS 3000 part 5.6.2.6

M (WM8) SLAB N3 WIND

SWIMMING POOL BACKWASH TO STORMWATER

POOL FENCING AND GATES MUST COMPLY WITH AS1926.1, AS1926., THE QUEENSLAND DEVELOPMENT CODE - PART 3.4, THE BUILDING ACT 1975 AND THE BUILDING REGULATION 2021



Site Coverage

Areas	Total (m ²)
External Living	32.65
Garage	59.11
Internal Living	194.35
Site Area	699.94

Client Notes:

Final Pad & FFL may vary +/-150mm between plans & final construction due to cut and fill volumes or by request of the Site Supervisor to suit site conditions

PHASE 3 POWER

RELAXATION REQUIRED FOR FRONT BDY SETBACK

SUNCOAST BUILDING APPROVALS
 No: 00015196 10 Feb 2022
 Jack Green QBCC A48824
DEVELOPMENT APPROVAL
 FOR BUILDING WORKS
 Ph: 5443 7288 Mob: 0406 516 167

Contour & Feature Survey ©



Unit 5/23 Overlord Place, ACACIA RIDGE, Qld, 4110
 Ph (07) 3363 8100 www.axisurveys.com.au

LOT 1 on SP308531

Hyacinth Street

Suburb Bridgeman Downs

Local Auth Brisbane City Council

Area 700m²

Client:

Homes By CMA Pty Ltd

Order No: 1HYAC/010

NOTES TO BE READ BEFORE USING THIS PLAN

This Plan has limitations regarding its use for some applications. Please contact this office if there is any doubt about the suitability of this plan for the intended use. These notes form part of this plan and they must remain with the plan or any copies. The limitations of this plan are detailed in the link below, with the main ones being:-

1. This plan has been prepared for our client & should not be used by others without approval.
2. The boundaries shown have been sourced from the subject survey plan or as noted, and have not been checked.
3. Distances from features to the shown boundaries should not be used or relied upon.
4. If positional accuracy is critical a boundary identification survey may be required.
5. The certificate of title has not been searched and should be checked for any encumbrances.
6. The contours may not represent the local authority's definition of "Ground Level"
7. A flood search has not been carried out. Check with local council for min. and max. construction heights.
8. Non visible services (if shown), have been plotted from the relevant authority's records or from other sources and may not be accurate. Services should be exposed before design or construction commences.
9. The north point has been taken from the survey plan and may not be suitable for all uses.

Refer to this link for more information
www.axisurveys.com.au/alertsanddisclaimers/

Issue	Date	Amendment	By
A	19-02-21	Original Issue	GE01
B			
C			
D			
E			
F			

Site No:	2101102	Scale:	1:200
Order No:	X415485		
Level Datum:	AHD		
Surveyed:	TM		
Date:	17-02-21	PAGE	1 OF 1

Refer to inclusions for discrepancies, signed inclusions supersede plans. 3D Renderings are for illustration only & may not reflect floor plan, inclusions or colour selection. 3D & Elevations are to be used as a guide only, refer to colour selection for doors & windows, finishes & electrical.

Contact: Greg Farmer
 0404 477 751
 PLAN: SP308531

41 Flinders Pde, North Lakes, QLD, 4509
 PH: (07) 3188 9322
 www.HomesByCMA.com.au
 QB5A licence No: 15083505



PROPOSED CUSTOM, DOUBLE STOREY DESIGN
FOR: Anand Ram Vadlamani & Sravani Alekhya Mula
AT: LOT 1, Hyacinth St
 Bellerose, Bridgeman Downs, 4035

DATE	DRAWN	DESCRIPTION
20.12.21	LC	CONSTRUCTION
17.11.21	LC	CONTRACT R6 (CB)
12.10.21	LC	CONTRACT R3 - R6
23.06.21	LC	CONTRACT R2
11.05.21	LC	CONTRACT

CLIENT'S INITIALS: _____

BUILDER'S INITIALS: _____

DATE: ____/____/2021

- Do not scale drawings - Refer any discrepancies to Homes by CMA Pty Ltd
 - By signing you agree to the footer notes & copyright terms on these plans

1.1_Site Plan

SCALE: 1:200, 1:108 ISSUE: 20/12/2021

©Homes by CMA Pty Ltd All rights reserved. This set of drawings is COPYRIGHT. Apart from use by the party to whom this requested and any fair dealing as permitted under the Copyright Act no part may be used, reproduced or copied by means or in any form without prior permission of Homes by CMA Pty Ltd.
 Homes by CMA Pty Ltd © 2021



Homes by CMA Pty Ltd

A.B.N. 88626224995
PO Box 876
North Lakes QLD 4509

Purchase Order Number 1HYAC/430.10

Delivery Date
Order Date 22 Apr 2022

Supplier:

Office / Office
41 Flinders Parade
NORTH LAKES QLD 4509

Ph.

Job Address:

Lot 1 Hyacinth Street,
BRIDGEMAN DOWNS QLD

Supervisor: Rik Chetcuti

Please Supply: **ELECTRICIAN**

Product or Service Description

Code	Description	Qty	Unit	Cost	Total
43000425	20amp Circuit - inc. Isolator & Circuit - Future Pool Pump (inc. Earthing)	1	EACH	\$123.00*	\$123.00

****IMPORTANT NOTE: Ensure Earthing for Pool as Required
complies with Certifier Notes and AS****

Swimming Pool earth bonding
Any conductive fixtures / fittings / materials
within arm's reach of pool
to be equipotential bonded to AS/NZS 3000
part 5.6.2.6

Net \$123.00
GST \$12.30
Total \$135.30

Additional Notes and Instructions

IMPORTANT: All Sub-Contractors are to maintain an orderly environment and a clean and sanitary job site. Excessive mess left onsite will be tidied and removed at offending sub-contractors expense. This note specifically applies to highset lower roofs. No construction debris is to be left on the lower roofs under any circumstance.

*** Notify Supervisor Prior Attending Site***

Sign On to Site Attendance Log. Work safety plan and insurance details submitted before attending the work site

All invoices to Homes by CMA Pty Ltd **must** contain the **Purchase Order Number 1HYAC/430.10** for the invoice to be paid.
Invoices not clearly stating the P.O will be returned to the contractor or supplier.
Invoices in excess of the P.O will not be paid without prior written authority from Homes by CMA Pty Ltd
Work carried out and goods supplied must meet the appropriate Australian Standards.

**** To ensure prompt attention to you invoice****

Provide by email an invoice with the delivery docket and/or PO for signing by site supervisor as being completed to
Invoice@homesbycma.com.au

Goods Supplied

.....Rik Chetcuti Date \ \

Acceptance of this Purchase Order allows CMA to set-off against any amount that CMA owes the Contractor any amount the Contractor owes CMA including but not limited to costs incurred by CMA in rectification of defective works on other job sites

between CMA and the Contractor.
Authorised by: