



- WHERE DIFFERENT BAR SIZES ARE SHOWN
LAPING, LAP LENGTH SHALL SUIT THE SMALLER
BAR SIZE.

PRINT DATE: 15/01/2022 4:29:16 PM
FILENAME: BM 360/2562 - SQCP/SQCP_ST_22_DETAILS.rvt

Tile 1-2mm above
grate level

Sealant

Grout


Tiles

Adhesive bed

Waterproof
membrane to AS3740

PVC pipe

Concrete



**JOHN
HOLLAND**

PROJECT
SQCPS2 GATTON
Millers Road, Spring Creek QLD 4343

BUILDING
SQCPS2 - GATTON

DRAWING TITLE

TYPICAL FLOOR WASTE INSTALLATION

0 0.2 0.4 0.6 0.8 1.0 1.2 1.4 1.6 1.8 2.0
SCALE BAR 1:20

SCALE

1:20 @ A1

DATE	DRAWN	CHECKED	APPROVED	STAGE
17/10/2024				
MASTER SITE NO.			CLIENT REFERENCE NO.	

PROJ No.	DRAWING No.	REV
BN193327	NTP-DWG-ST-AA-301	1

PROJECT DATE: 17/10/2024 4:30 PM
FILENAME: BN193327 - SQCPS2 ST_AA-301.DWG